### 3(SEM 6) PHY M4

2015

#### **PHYSICS**

(Major)

Theory Paper: M-6.4

Full-Marks - 60

Time - Three hours

The figures in the margin indicate full marks for the questions.

#### GROUP - A

## (Statistical Mechanics)

1.	Answer	the following	questions:	$1 \times 5 = 5$
1	The last			

- (a) State ergodic hypothesis.
- (b) What type of wave function is required to describe a system of fermions?
- (c) What is the probability of finding an electron with energy equal to the Fermi energy in a metal?

[Turn over

- (d) What is degeneration in statistical mechanics?
- (e) What is the basic difference regarding the state of a particle in the phase space between quantum theory and classical theory?
- 2. Answer the following questions:

2×3=6

- (a) Write the expression of most probable distribution in three different statistics. Under what condition F-D and B-E statistics reduce to M.B. statistics?
- (b) A system has two particles a and b. Show with the help of diagrams how these two particles can be arranged in three quantum states 1, 2, 3 using (i) M-B (ii) B-E (iii) F-D statistics.
- (c) An electron gas obeys the M-B statistics.

  Calculate the average thermal energy (in ev)

  of an electron in the system at 300 K.
- 3. Answer any *two* of the following:  $2 \times 5 = 10$ 
  - (a) Derive Boltzmann entropy relation in classical statistics. Under what condition is the maximum entropy reached? 4+1=5

(b) What is Fermi energy? Derive an expression of Fermi energy for an electron gas.

1+4=5

- (c) Starting from B-E distribution function deduce the planck Radiation formula. 5
- 4. Answer any *one* of the following:
  - (a) Using B-E statistics, derive an expression of pressure of a perfect gas. Under what condition does Bose-Einstein Condensation occur?
  - (b) Derive the expression of most probable distribution in M-B statistics. For what type of particles is this statistics applicable?

    8+1=9

### GROUP - B

# (Computer Applications)

- 5. Answer the following questions:  $2 \times 2 = 4$ 
  - (a) Write down the FORTRAN-95 or C or C++ expression for the algebraic expressions:
    - (i)  $\sin x + 2x^3$
    - (ii) tan-1A

- (b) How are the following mathematical functions written in FORTRAN-95 or C or C++?
  - (i) exponential (base e) of x.
  - (ii) natural logarithm (base e) of z.
- 6. Answer the following:

·2×3=6

- (a) How will you represent the following? Comment: "This program computes a solution to the equation", in FORTRAN-95 or C or C++.
- (b) Write one conditional and one logical operators each in FORTRAN-95 or C or C++.
- (c) Write a brief statement to find square root of a natural number N in either FORTRAN-95 or C or C++.
- 7. Answer either (a) or (b):

5

- (a) Write down the flowchart and a program in either FORTRAN-95 or C or C++ to find the greatest of three given integers x, y and z.
- (b) Write down the algorithm and a program in either FORTRAN-95 or C or C++ to find sum of N natural numbers.

(a) Write a program in either FORTRAN-95 or
 C or C++ to compute the solution of the following simultaneous linear equations:

$$a_1x + b_1y = c_1$$
  
$$a_2x + b_2y = c_2.$$

(b) Prepare a program in either FORTRAN-95 or C or C++ to compute the real as well as imaginary roots of the quadratic equation  $4x^2-2x+9=0$ .

### 9. Answer either (a) or (b):

10

(a) Write down the steps necessary to compute the numberical solution of a first-order differential equation using 4th order Runge-Kutta method. Develop the algorithm and write the program in either FORTRAN-95 or C or C++ to compute the numerical solution of the equation  $\frac{dy}{dx} = 3x + y^2$  in the interval [1, 1.1] having initial value y = 1.2 at x = 1 and step size h = 0.1 using Runge-Kutta 4th order method.

(b) Write the mathematical relations needed to compute numerical value of a finite size integral using Simpson's one-third rule: Write the flowchart and a program in either FORTRAN-95 or C or C++ to compute the numerical value of the integral  $\int_0^1 \frac{x^2 dx}{1+x^3}$  using Simpson's one-third rule.